

## SAFETY DATA SHEET

**STAN-TONE VCP-29695 BROWN**

Version Number 1.5  
Revision Date 05/26/2026

Page 1 of 19  
Print Date 06/10/2026

## SAFETY DATA SHEET

## STAN-TONE VCP-29695 BROWN

**Section 1. Identification**

**GHS product identifier** : STAN-TONE VCP-29695 BROWN  
**Chemical name** : Mixture  
**CAS number** : Mixture  
**Other means of identification** : FO20009950  
**Product type** : solid

**Relevant identified uses of the substance or mixture and uses advised against**

**Supplier's details** : **AVIENT CORPORATION**  
 1675 Navarre Road SW, Massillon,  
 Ohio USA 44646

1 330 837 8679

**Emergency telephone number (with hours of operation)** : CHEMTREC 1-800-424-9300 (24hrs for spill, leak, fire, exposure or accident).

**Section 2. Hazards identification**

**OSHA/HCS status** : This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

**Classification of the substance or mixture** : COMBUSTIBLE DUSTS

**GHS label elements**

**Signal word** : Warning  
**Hazard statements** : May form combustible dust concentrations in air.

**Precautionary statements**

**Prevention** : Not applicable.  
**Response** : Not applicable.  
**Storage** : Not applicable.  
**Disposal** : Not applicable.

**Supplemental label elements** : Keep container tightly closed. Keep away from heat, hot surfaces,

**SAFETY DATA SHEET**

**STAN-TONE VCP-29695 BROWN**

Version Number 1.5  
 Revision Date 05/26/2026

Page 2 of 19  
 Print Date 06/10/2026

sparks, open flames and other ignition sources. No smoking. Prevent dust accumulation.

**Hazards not otherwise classified** : None known.

**Hazards identified when used** : No known significant effects or critical hazards.

**Section 3. Composition/information on ingredients**

**Substance/mixture** : Mixture  
**Chemical name** : STAN-TONE VCP-29695 BROWN  
**Other means of identification** : STAN-TONE VCP-29695 BROWN

Ingredient name	Synonyms	%	Identifiers
Ethene, chloro-, homopolymer	Ethene, chloro-, homopolymer	>= 15 - <= 40	CAS: 9002-86-2
Carbon black	carbon black non-respirable	>= 7 - <= 13	CAS: 1333-86-4
Iron oxide	diiron trioxide	>= 5 - <= 10	CAS: 1309-37-1
Titanium oxide	Titanium dioxide	>= 1 - <= 5	CAS: 13463-67-7
Octadecanoic acid	stearic acid	>= 1 - <= 1.5	CAS: 57-11-4

Any concentration shown as a range is to protect confidentiality or is due to batch variation.  
**There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified and hence require reporting in this section.**  
 Occupational exposure limits, if available, are listed in Section 8.

**Section 4. First aid measures**

Description of necessary first aid measures

**Eye contact** : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

**Inhalation** : Remove victim to fresh air and keep at rest in a position comfortable for breathing. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

**Skin contact** : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.

**Ingestion** : Wash out mouth with water. If material has been swallowed and the exposed person is conscious, give small quantities of water to

**SAFETY DATA SHEET**

**STAN-TONE VCP-29695 BROWN**

Version Number 1.5  
 Revision Date 05/26/2026

Page 3 of 19  
 Print Date 06/10/2026

drink. Do not induce vomiting unless directed to do so by medical personnel.

**Most important symptoms/effects, acute and delayed**

**Potential acute health effects**

- Eye contact** : Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.
- Inhalation** : Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
- Skin contact** : No known significant effects or critical hazards.
- Ingestion** : No known significant effects or critical hazards.

**Over-exposure signs/symptoms**

- Eye contact** : Adverse symptoms may include the following: irritation, redness
- Inhalation** : Adverse symptoms may include the following: respiratory tract irritation, coughing
- Skin contact** : No specific data.
- Ingestion** : No specific data.

**Indication of immediate medical attention and special treatment needed, if necessary**

- Notes to physician** : In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
- Specific treatments** : No specific treatment.
- Protection of first-aiders** : No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

**Section 5. Fire-fighting measures**

**Extinguishing media**

- Suitable extinguishing media** : Use dry chemical powder.
- Unsuitable extinguishing media** : Avoid high pressure media which could cause the formation of a potentially explosible dust-air mixture.

- Specific hazards arising from the chemical** : May form explosible dust-air mixture if dispersed.
- Hazardous thermal decomposition** : May emit Hydrogen Chloride (HCl). Decomposition products may

**SAFETY DATA SHEET**

**STAN-TONE VCP-29695 BROWN**

Version Number 1.5  
 Revision Date 05/26/2026

Page 4 of 19  
 Print Date 06/10/2026

- products** include the following materials: carbon dioxide, carbon monoxide, nitrogen oxides, halogenated compounds, metal oxide/oxides
- Special protective actions for fire-fighters** : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
- Special protective equipment for fire-fighters** : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

**Section 6. Accidental release measures**

**Personal precautions, protective equipment and emergency procedures**

- For non-emergency personnel** : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Avoid breathing dust. Put on appropriate personal protective equipment.
- For emergency responders** : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
- Environmental precautions** : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

**Methods and materials for containment and cleaning up**

- Small spill** : Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor.
- Large spill** : Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Avoid creating dusty conditions and prevent wind dispersal. Dispose of via a licensed waste disposal contractor.

**SAFETY DATA SHEET**

**STAN-TONE VCP-29695 BROWN**

Version Number 1.5  
 Revision Date 05/26/2026

Page 5 of 19  
 Print Date 06/10/2026

**Section 7. Handling and storage**

**Precautions for safe handling**

- Protective measures** : Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing dust. Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Prevent dust accumulation. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Electrical equipment and lighting should be protected to appropriate standards to prevent dust coming into contact with hot surfaces, sparks or other ignition sources. Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Empty containers retain product residue and can be hazardous. Do not reuse container.
- Advice on general occupational hygiene** : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
- Conditions for safe storage, including any incompatibilities** : Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Eliminate all ignition sources. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

**Section 8. Exposure controls/personal protection**

**Control parameters**

**Occupational exposure limits**

Ingredient name	Exposure limits
Ethene, chloro-, homopolymer	ACGIH TLV (2008-01-01). [Polyvinyl chloride] A4. TWA 8 hours: 1 mg/m3 Form: Respirable fraction

**SAFETY DATA SHEET**

**STAN-TONE VCP-29695 BROWN**

Version Number 1.5  
 Revision Date 05/26/2026

Page 6 of 19  
 Print Date 06/10/2026

<p>Carbon black</p>	<p><b>CAL OSHA PEL (2018-05-16). [carbon black]</b>                      TWA 8 hours: 3.5 mg/m<sup>3</sup>  <b>ACGIH TLV (2010-12-06). [Carbon black] A3.</b>                      TWA 8 hours: 3 mg/m<sup>3</sup> Form: Inhalable fraction  <b>NIOSH REL (2010-09-01). [carbon black] See Appendix A - NIOSH Potential Occupational Carcinogen.</b>                      TWA 10 hours: 0.1 mg/m<sup>3</sup> (as cyclohexane-extractable fraction)                      TWA 10 hours: 3.5 mg/m<sup>3</sup>  <b>OSHA PEL 1989 (1989-03-01). [Carbon black]</b>                      TWA 8 hours: 3.5 mg/m<sup>3</sup>  <b>OSHA PEL (1993-06-30). [Carbon black]</b>                      TWA 8 hours: 3.5 mg/m<sup>3</sup></p>
<p>Iron oxide</p>	<p><b>CAL OSHA PEL (2018-05-16). [iron oxide fume]</b>                      TWA 8 hours: 5 mg/m<sup>3</sup>  <b>CAL OSHA PEL (2018-05-16). [rouge]</b>                      TWA 8 hours: 10 mg/m<sup>3</sup> Form: Total dust                      TWA 8 hours: 5 mg/m<sup>3</sup> Form: Respirable fraction  <b>ACGIH TLV (2005-12-09). [Iron oxide] A4.</b>                      TWA 8 hours: 5 mg/m<sup>3</sup> Form: Respirable fraction  <b>NIOSH REL (2010-09-01). [iron oxide dust and fume]</b>                      TWA 10 hours: 5 mg/m<sup>3</sup> (as Fe) Form: Dust and fumes  <b>OSHA PEL 1989 (1989-03-01). [Iron oxide dust and fume (as Fe)]</b>                      STEL 15 minutes: 10 ppm (as Fe) Form: total particulates  <b>OSHA PEL 1989 (1989-03-01). [Rouge]</b>                      TWA 8 hours: 5 mg/m<sup>3</sup> Form: Respirable fraction                      TWA 8 hours: 10 mg/m<sup>3</sup> Form: Total dust  <b>OSHA PEL (1993-06-30). [Rouge]</b>                      TWA 8 hours: 15 mg/m<sup>3</sup> Form: Total dust                      TWA 8 hours: 5 mg/m<sup>3</sup> Form: Respirable fraction  <b>OSHA PEL (1993-06-30). [Iron oxide fume]</b>                      TWA 8 hours: 10 mg/m<sup>3</sup> Form: Fume</p>
<p>Titanium oxide</p>	<p><b>CAL OSHA PEL (2018-05-16). [titanium dioxide as Ti]</b>                      TWA 8 hours: 10 mg/m<sup>3</sup> (as Ti) Form: Total dust                      TWA 8 hours: 5 mg/m<sup>3</sup> (as Ti) Form: Respirable fraction  <b>ACGIH TLV (2022-01-06). [titanium dioxide finescale particles] A3.</b>                      TWA 8 hours: 2.5 mg/m<sup>3</sup> Form: respirable fraction, finescale particles  <b>ACGIH TLV (2022-01-06). [titanium dioxide nanoscale particles] A3.</b>                      TWA 8 hours: 0.2 mg/m<sup>3</sup> Form: respirable fraction, nanoscale particles  <b>OSHA PEL 1989 (1989-03-01). [Titanium dioxide]</b></p>

**SAFETY DATA SHEET**

**STAN-TONE VCP-29695 BROWN**

Version Number 1.5  
 Revision Date 05/26/2026

Page 7 of 19  
 Print Date 06/10/2026

	TWA 8 hours: 10 mg/m <sup>3</sup> Form: Total dust <b>OSHA PEL (1993-06-30). [Titanium dioxide]</b> TWA 8 hours: 15 mg/m <sup>3</sup> Form: Total dust
Octadecanoic acid	<b>CAL OSHA PEL (2018-05-16). [stearates]</b> TWA 8 hours: 10 mg/m <sup>3</sup> <b>ACGIH TLV (2017-03-01). [Stearates] A4.</b> TWA 8 hours: 10 mg/m <sup>3</sup> Form: Inhalable fraction TWA 8 hours: 3 mg/m <sup>3</sup> Form: Respirable fraction

**Biological exposure indices**

No exposure indices known.

**Appropriate engineering controls** : Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. The engineering controls also need to keep gas, vapor or dust concentrations below any lower explosive limits. Use explosion-proof ventilation equipment.

**Environmental exposure controls** : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

**Individual protection measures**

**Hygiene measures** : Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

**Eye/face protection** : Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. If operating conditions cause high dust concentrations to be produced, use dust goggles.

**Skin protection**

**Hand protection** : Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the

**SAFETY DATA SHEET**

**STAN-TONE VCP-29695 BROWN**

Version Number 1.5  
 Revision Date 05/26/2026

Page 8 of 19  
 Print Date 06/10/2026

parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

- Body protection** : Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Other skin protection** : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
- Respiratory protection** : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

**Section 9. Physical and chemical properties**

The conditions of measurement of all properties are at standard temperature and pressure unless otherwise indicated.

**Appearance**

- Physical state** : solid [Very fine powder.]
- Color** : BROWN
- Odor** : Not available.
- Odor threshold** : Not available.
- pH** : Not available.
- Melting point/freezing point** : Not available.
- Boiling point or initial boiling point and boiling range** : Not available.
- Flash point** : Not applicable.
- Evaporation rate** : Not available.
- Flammability** : Not available.
- Lower and upper explosion limit/flammability limit** : **Lower:** Not applicable.  
**Upper:** Not applicable.
- Vapor pressure** : Not available.
- Relative vapor density** : Not applicable.

**SAFETY DATA SHEET**

**STAN-TONE VCP-29695 BROWN**

Version Number 1.5  
 Revision Date 05/26/2026

Page 9 of 19  
 Print Date 06/10/2026

- Relative density** : Not available.
- Solubility in water** : Not available.
- Partition coefficient: n-octanol/water** : Not applicable.
- Auto-ignition temperature** : Not applicable.
- Decomposition temperature** : Not available.
- Viscosity** : **Dynamic** : Not available.  
**Kinematic** : Not applicable.

**Particle characteristics**

- Median particle size** : Not available.

**Section 10. Stability and reactivity**

- Reactivity** : No specific test data related to reactivity available for this product or its ingredients.
- Chemical stability** : Stable under recommended storage and handling conditions (see Section 7).
- Possibility of hazardous reactions** : Under normal conditions of storage and use, hazardous reactions will not occur.
- Conditions to avoid** : Avoid the creation of dust when handling and avoid all possible sources of ignition (spark or flame). Take precautionary measures against electrostatic discharges. To avoid fire or explosion, dissipate static electricity during transfer by grounding and bonding containers and equipment before transferring material. Prevent dust accumulation.
- Incompatible materials** : Avoid contact with acetal homopolymers and acetyl homopolymers during processing. Reactive or incompatible with the following materials:, oxidizing materials
- Hazardous decomposition products** : Under normal conditions of storage and use, hazardous decomposition products should not be produced.

**Section 11. Toxicological information**

**SAFETY DATA SHEET**

**STAN-TONE VCP-29695 BROWN**

Version Number 1.5  
 Revision Date 05/26/2026

Page 10 of 19  
 Print Date 06/10/2026

**Information on toxicological effects**

**Acute toxicity**

Product/ingredient name	Result
Carbon black	<b>Rat - Oral - LD50</b> 15,400 mg/kg
Titanium oxide	<b>Rabbit - Dermal - LD50</b> > 5,000 mg/kg  <b>Rat - Male - Inhalation - LC50 Dusts and mists</b> 6.82 Mg/l [4 h]
Octadecanoic acid	<b>Rat - Oral - LD50</b> 4,600 mg/kg <b>Rabbit - Dermal - LD50</b> 5,000 mg/kg

**Conclusion/Summary** : Mixture.Not fully tested.

**Skin corrosion/irritation**

Product/ingredient name	Result
Octadecanoic acid	<b>Rabbit - Skin - Moderate irritant</b> <u>Duration of treatment/exposure:</u> 24 hrs <b>Human - Skin - Mild irritant</b> <u>Duration of treatment/exposure:</u> 72 hrs

**Conclusion/Summary** : Mixture.Not fully tested.

**Serious eye damage/eye irritation**

**Conclusion/Summary** : Mixture.Not fully tested.

**Respiratory corrosion/irritation**

**Conclusion/Summary** : Mixture.Not fully tested.

**Respiratory or skin sensitization**

**Skin**

**Conclusion/Summary** : Mixture.Not fully tested.

**SAFETY DATA SHEET**

**STAN-TONE VCP-29695 BROWN**

Version Number 1.5  
 Revision Date 05/26/2026

Page 11 of 19  
 Print Date 06/10/2026

**Respiratory**

**Conclusion/Summary** : Mixture.Not fully tested.

**Germ cell mutagenicity**

**Conclusion/Summary** : Mixture.Not fully tested.

**Carcinogenicity**

**Conclusion/Summary** : Mixture.Not fully tested.

**Classification**

Product/ingredient name	OSHA	IARC	NTP
Ethene, chloro-, homopolymer	-	3	-
Carbon black	-	2B	-
Iron oxide	-	3	-
Titanium oxide	-	2B	-
Octadecanoic acid	-	-	-

**Reproductive toxicity**

**Conclusion/Summary** : Mixture.Not fully tested.

**Specific target organ toxicity (single exposure)**

Not available.

**Specific target organ toxicity (repeated exposure)**

Not available.

**Aspiration hazard**

Not available.

**Information on the likely routes of exposure**

Not available.

**SAFETY DATA SHEET**

**STAN-TONE VCP-29695 BROWN**

Version Number 1.5  
 Revision Date 05/26/2026

Page 12 of 19  
 Print Date 06/10/2026

**Potential acute health effects**

- Eye contact** : Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the eyes.
- Inhalation** : Exposure to airborne concentrations above statutory or recommended exposure limits may cause irritation of the nose, throat and lungs.
- Skin contact** : No known significant effects or critical hazards.
- Ingestion** : No known significant effects or critical hazards.

**Symptoms related to the physical, chemical and toxicological characteristics**

- Eye contact** : Adverse symptoms may include the following: irritation, redness
- Inhalation** : Adverse symptoms may include the following: respiratory tract irritation, coughing
- Skin contact** : No specific data.
- Ingestion** : No specific data.

**Delayed and immediate effects and also chronic effects from short and long term exposure**

**Short term exposure**

- Potential immediate effects** : Not available.
- Potential delayed effects** : Not available.

**Long term exposure**

- Potential immediate effects** : Not available.
- Potential delayed effects** : Not available.

**Potential chronic health effects**

Not available.

**Conclusion/Summary** : Mixture. Not fully tested.

- General** : Repeated or prolonged inhalation of dust may lead to chronic respiratory irritation.
- Carcinogenicity** : No known significant effects or critical hazards.
- Mutagenicity** : No known significant effects or critical hazards.
- Reproductive toxicity** : No known significant effects or critical hazards.

**Numerical measures of toxicity**

**Acute toxicity estimates**

Product/ingredient name	Oral	Dermal	Inhalation (gases)	Inhalation (vapors)	Inhalation (dusts and

**SAFETY DATA SHEET**

**STAN-TONE VCP-29695 BROWN**

Version Number 1.5  
 Revision Date 05/26/2026

Page 13 of 19  
 Print Date 06/10/2026

					mists)
STAN-TONE VCP-29695 BROWN	169767.6 mg/kg	140836.4 mg/kg	N/A	N/A	N/A
Carbon black	15400 mg/kg	N/A	N/A	N/A	N/A
Titanium oxide	N/A	N/A	N/A	N/A	6.82 Mg/l
Octadecanoic acid	4600 mg/kg	5000 mg/kg	N/A	N/A	N/A

**Section 12. Ecological information**

Toxicity

Product/ingredient name	Result
Carbon black	<b>Acute EC50 Fresh water</b> Daphnia - <i>Daphnia magna</i> 37.563 Mg/l [48 h]
Titanium oxide	<b>Acute LC50 Marine water</b> Fish - <i>Fundulus heteroclitus</i> > 1,000 Mg/l [96 h] <b>Acute LC50 Fresh water</b> Crustaceans - <i>Ceriodaphnia dubia</i> 3 Mg/l [48 h] <b>Acute LC50 Fresh water</b> Daphnia - <i>Daphnia pulex</i> 6.5 Mg/l [48 h]

**Conclusion/Summary** : Not available.

Persistence and degradability

Not available.

**Conclusion/Summary** : Not available.

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
-------------------------	--------	-----	-----------

**SAFETY DATA SHEET**

**STAN-TONE VCP-29695 BROWN**

Version Number 1.5  
 Revision Date 05/26/2026

Page 14 of 19  
 Print Date 06/10/2026

Octadecanoic acid	8.23	-	High
-------------------	------	---	------

**Mobility in soil**

**Soil/Water partition coefficient** : Not available.

**Other adverse effects**

No known significant effects or critical hazards.

**Section 13. Disposal considerations**

**Disposal methods** : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

**Section 14. Transport information**

U.S.DOT 49CFR Ground/Air/Water : Not regulated for transportation.  
 IATA : Consult mode specific transport rules  
 IMDG : Consult mode specific transport rules

**Section 15. Regulatory information**

**U.S. Federal regulations**

**SAFETY DATA SHEET**

**STAN-TONE VCP-29695 BROWN**

Version Number 1.5  
 Revision Date 05/26/2026

Page 15 of 19  
 Print Date 06/10/2026

**TSCA 8(a) CDR Exempt/Partial exemption:** Not determined

**TSCA 8(a) - Preliminary assessment report (PAIR):** Poly(oxy-1,2-ethanediyl), alpha-(4-nonylphenyl)-omega- hydroxy-, branched;

**TSCA 12(b) - Chemical export notification**

- Clean Air Act Section 112(b)** : Listed
- Hazardous Air Pollutants (HAPs)**
- Clean Air Act Section 602 Class I Substances** : Not listed
- Clean Air Act Section 602 Class II Substances** : Not listed
- DEA List I Chemicals (Precursor Chemicals)** : Not listed
- DEA List II Chemicals (Essential Chemicals)** : Not listed

**SARA 302/304**

**Composition/information on ingredients**

Name	%	EHS	SARA 302/304
PHENOL	> 0 - <= 0.1	Yes.	<b>SARA 302 TPQ:</b> 500 lb(s) <b>SARA 302 TPQ Solid upper limit:</b> 10,000 lb(s) <b>SARA 304 RQ:</b> 1,000 lb(s)

**SARA 304 RQ** : 20,000,000 lbs

**SARA 311/312**

**Classification** : COMBUSTIBLE DUSTS

**Composition/information on ingredients**

Name	%	Classification
Ethene, chloro-, homopolymer	>= 15 - <= 40	COMBUSTIBLE DUSTS
Octadecanoic acid	>= 1 - <= 1.5	SKIN IRRITATION - Category 2 EYE IRRITATION - Category 2A

**SAFETY DATA SHEET**

**STAN-TONE VCP-29695 BROWN**

Version Number 1.5  
 Revision Date 05/26/2026

Page 16 of 19  
 Print Date 06/10/2026

**State regulations**

- Massachusetts** : The following components are listed:  
 Carbon black  
 Iron oxide  
 Titanium oxide
- New York** : None of the components are listed.
- New Jersey** : The following components are listed:  
 PVC  
 CARBON BLACK  
 IRON OXIDE  
 TITANIUM DIOXIDE
- Pennsylvania** : The following components are listed:  
 CARBON BLACK  
 IRON OXIDE  
 TITANIUM OXIDE

**California Prop. 65**

**⚠ WARNING:** This product can expose you to chemicals including Carbon black, Titanium dioxide, which are known to the State of California to cause cancer, and, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

Ingredient name	No significant risk level	Maximum acceptable dosage level
Diisodecyl phthalate (mixed isomers)	-	Yes.
Carbon black	-	-
Titanium dioxide	-	-

**International regulations**

**Chemical Weapon Convention List Schedules I, II & III Chemicals**

**Chemical Weapons Convention List Schedule I Chemicals**

None of the components are listed.

**Chemical Weapons Convention List Schedule II Chemicals**

None of the components are listed.

**Chemical Weapons Convention List Schedule III Chemicals**

## SAFETY DATA SHEET

### **STAN-TONE VCP-29695 BROWN**

Version Number 1.5  
Revision Date 05/26/2026

Page 17 of 19  
Print Date 06/10/2026

None of the components are listed.

#### **Montreal Protocol**

None of the components are listed.

#### **Stockholm Convention on Persistent Organic Pollutants**

##### **Annex A - Elimination - Production**

None of the components are listed.

##### **Annex A - Elimination - Use**

None of the components are listed.

##### **Annex B - Restriction - Production**

None of the components are listed.

##### **Annex B - Restriction - Use**

None of the components are listed.

##### **Annex C - Unintentional - Production**

None of the components are listed.

#### **Rotterdam Convention on Prior Informed Consent (PIC)**

##### **Rotterdam Convention on Prior Informed Consent (PIC) - Industrial**

None of the components are listed.

##### **Rotterdam Convention on Prior Informed Consent (PIC) - Pesticide**

None of the components are listed.

##### **Rotterdam Convention on Prior Informed Consent (PIC) -Severely hazardous pesticide**

None of the components are listed.

#### **UNECE Aarhus Protocol on POPs and Heavy Metals**

##### **Heavy metals - Annex 1**

None of the components are listed.

##### **POPs - Annex 1 - Production**

None of the components are listed.

##### **POPs - Annex 1 - Use**

None of the components are listed.

##### **POPs - Annex 2**

None of the components are listed.

**SAFETY DATA SHEET**

**STAN-TONE VCP-29695 BROWN**

Version Number 1.5  
 Revision Date 05/26/2026

Page 18 of 19  
 Print Date 06/10/2026

**POPs - Annex 3**

None of the components are listed.

**Inventory list**

- Australia** : Not determined.
- Canada** : All components are listed or exempted.
- China** : Not determined.
- Eurasian Economic Union** : **Russian Federation inventory:** Not determined.
- Japan** : **Japan inventory (CSCL):** Not determined.  
**Japan inventory (ISHL):** Not determined.
- New Zealand** : Not determined.
- Philippines** : Not determined.
- Republic of Korea** : Not determined.
- Taiwan** : Not determined. Not determined.
- Thailand** : Not determined.
- Turkey** : Not determined.
- United States** : All components are active or exempted.
- Viet Nam** : Not determined.

**Section 16. Other information**

**Hazardous Material Information System (U.S.A.)**

<b>Health</b>	/	0
<b>Flammability</b>		3
<b>Physical hazards</b>		0

**Caution: HMIS® ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks. Although HMIS® ratings and the associated label are not required on SDSs or products leaving a facility under 29 CFR 1910.1200, the preparer may choose to provide them. HMIS® ratings are to be used with a fully implemented HMIS® program. HMIS® is a registered trademark and service mark of the American Coatings Association, Inc.**

**The customer is responsible for determining the PPE code for this material. For more information on HMIS® Personal Protective Equipment (PPE) codes, consult the HMIS® Implementation Manual.**

**National Fire Protection Association (U.S.A.)**


**Flammability**

**SAFETY DATA SHEET**

**STAN-TONE VCP-29695 BROWN**

Version Number 1.5  
 Revision Date 05/26/2026

Page 19 of 19  
 Print Date 06/10/2026



Procedure used to derive the classification

Classification	Justification
COMBUSTIBLE DUSTS	On basis of test data

History

- Date of printing : 06/10/2026
- Date of issue/Date of revision : 05/26/2026
- Date of previous issue : 01/01/2025
- Version : 1.5
- Prepared by : MHATRED
- Key to abbreviations :
  - ATE = Acute Toxicity Estimate
  - BCF = Bioconcentration Factor
  - DOT = Department of Transportation
  - GHS = Globally Harmonized System of Classification and Labelling of Chemicals
  - IATA = International Air Transport Association
  - IBC = Intermediate Bulk Container
  - IMDG = International Maritime Dangerous Goods
  - IMO = International Maritime Organization
  - LogPow = logarithm of the octanol/water partition coefficient
  - MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
  - N/A = Not available
  - SGG = Segregation Group
  - TDG = Transportation of Dangerous Goods
  - UN = United Nations
- References : Not available.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist. Particularly this information may not be valid for such material used in conjunction with any other materials or in any process, unless specified in the text.